

General Conditions of Contract for Works, December 2016

Correction Slip No. 1


The existing provision relating to Special Conditions for Steel in Annexure B-2 may be deleted and replaced with the following :

Special Conditions for Steel

1. The Contractor shall procure TMT bars of Fe415 /Fe500 /Fe550 grade (as specified) from any producer approved/empanelled by BIS / RDSO of Indian Railways. TMT bars shall meet the provisions of IS: 1786 : 2008 pertaining to Fe 415D or Fe 500D or Fe 550D grade of steel as specified in the tender.
2. The contractor shall have to obtain and furnish manufacturer's test certificates to the Engineer-in-Charge in respect of all supplies of steel brought by him to the site of work.
3. Samples shall also be taken and got tested by the Engineer-in-Charge as per the provisions in this regard in relevant BIS codes and/or the applicable specifications. In case the test results indicate that the steel arranged by the contractor does not conform to the specifications, the same shall stand rejected, and it shall be removed from the site of work by the contractor at his cost within a week time or written orders from the Engineer-in-Charge to do so.
4. The steel reinforcement bars shall be stored by the contractor at site of work in such a way as to prevent distortion and corrosion, and nothing extra shall be paid on this account. Bars of different sizes and lengths shall be stored separately to facilitate easy counting and checking.
5. For checking nominal mass, tensile strength, bend test, re-bend test etc. specimens of sufficient length shall be cut from each size of the bar at random, and at frequency not less than that specified below :

Size of bar	For consignment below 100 tonnes	For consignment above 100 tonnes
Under 10mm dia bars	One sample for each 25 tonnes or part thereof	One sample for each 40 tonnes or part thereof
10 mm to 16 mm dia bars	One sample for each 35 tonnes or part thereof	One sample for each 45 tonnes or part thereof
Over 16 mm dia bars	One sample for each 45 tonnes or part thereof	One sample for each 50 tonnes or part thereof

6. The contractor shall supply free of charge the steel required for testing including its


19/4/2017

Contd ... 2

transportation to testing laboratories. The cost of tests shall be borne by the Contractor/Employer In the manner indicated below for Non Mandatory Tests. In case of Mandatory Tests the cost will be borne only by the Contractor.

By the contractor, if the results show that the steel does not conform to relevant BIS codes.


By the Employer, if the results show that the steel conforms to relevant BIS codes.

7. The actual issue and consumption of steel on work shall be regulated and proper accounts maintained as provided in clause 10 of the contract. The theoretical consumption of steel shall be worked out as per procedure prescribed in clause 42 of the contract and shall be governed by conditions laid therein. In case the consumption is less than theoretical consumption including permissible variations necessary recovery shall be made. In case of excess consumption no adjustment need to be made.
8. The steel brought to site and the steel remaining unused shall not be removed from site without the written permission of the Engineer-in-Charge.

No. RITES/CO/CPC/GCC 2016/

Dated the 19th April, 2017

The above correction to GCC for Works, December 2016 is issued with approval of the competent authority.


(Alok Garg) 19/04/2017

ED/HW&P and
Head Contract Policy Cell

All Divisional Heads and SBU heads

Copy to:

1. Secy to CMD/DP/DF/DT. The above correction slip may be inserted in the copy of E-tendering - Tender and Contract Document for Works, for information of CMD and Directors
2. CVO
3. T.O.
4. **AGM (IT)** for uploading on Portal