

Ministry of Health & Family Welfare
Department of AIDS Control
National AIDS Control Organization

Through
RITES LIMITED
(Procurement Agent)
Materials System Management Division
RITES Office Complex, Annex Building, 4th Floor
Plot No.144, Sector 44,
GURGAON, INDIA

Dated: 08.10.2013

AMENDMENT No. 3

National HIV/AIDS Control Project
National Competitive Bidding

IFB No. : RITES/MSM/NACP/11/2013, due for opening on 15.10.2013
for Procurement of Single Blood Bags (350ML), DOUBLE BLOOD BAGS 350ML & 450 ML,
TRIPLE BLOOD BAGS 350ML & 450ML, QUADRUPLE BLOOD BAGS 350ML & 450ML

The following amendments in the subject bid document are hereby authorized:-

Sl. No.	Reference	Existing	Modified
Section III. Schedule of Requirements:			
1.	Delivery Schedule (Page No.53)	(i) 50% quantity within 60 days after the issue of NOA, (ii) 25% within 61 to 90 days after the issue of NOA (iii) balance 25% within 91 to 120 days after the issue of NOA (Notification of Award)	(i) 50% quantity within 120 days after the issue of NOA, (ii) 25% within 121 to 210 days after the issue of NOA (iii) balance 25% within 211 to 300 days after the issue of NOA (Notification of Award)
Section IV. Technical Specifications:			
2.	Page No. 66: (f): Packing size:	Packing size of good: Individual plastic blood bags should be packed in a plastic pack and such 5-10 bags should be packed in aluminum foil pack. The label of the aluminium foil pack should read as 'Aluminium foil pack once opened, the bags should be used within ten days. Ten such aluminium foiled packs should be packed in the corrugated boxes which should indicate clearly and legibly the name of the manufacturer, name of the product, batch number, quantity, date of manufacturing, date of expiry, gross and net weight and consignee's name and address and other particulars as required. It should also mention "To be stored at 20 to 25 ⁰ C". There should be a temperature indicator on the carton to ensure cold chain maintenance.	Packing size of good: Individual plastic blood bags should be packed in a plastic pack and such 3-10 bags should be packed in aluminum foil pack. The label of the aluminium foil pack should read as 'Aluminium foil pack once opened, the bags should be used within ten days. Ten such aluminium foiled packs should be packed in the corrugated boxes which should indicate clearly and legibly the name of the manufacturer, name of the product, batch number, quantity, date of manufacturing, date of expiry, gross and net weight and consignee's name and address and other particulars as required. It should also mention "To be stored at 20 to 25 ⁰ C". There should be a temperature indicator on the carton to ensure cold chain maintenance.
3.	Page No. 68 (Single Blood Bags): Page No. 70	<i>The expiry date should be at least 2 years from the date of supply of blood bags to the institute.</i>	<i>The expiry date should be at least 2 years from the date of manufacturing of blood bags and residual shelf life at the time of supply should be at least 3/4th of total</i>

Sl. No.	Reference	Existing	Modified
	(Double Blood Bags) Page No. 72 (Triple Blood Bags) Page No. 74 (Quadruple Blood Bags) Label – SN. (5):		<i>shelf life.</i>
Quadruple Blood Bags (350 ml & 450 ml)			
4.	Page No.73 : Quadruple Blood Bag sub clause Capacity: sub clause (2)	<i>First satellite bag (of 100 ml capacity)- containing additive solution for 42 days red cell storage</i>	<i>First satellite bag (of minimum 100 ml capacity)- containing additive solution for 42 days red cell storage</i>
5.	Page No.74: Anticoagulant and preservative solution sub clause (1) & (2)	1. “CPD (63ml i.e. 14 ml/100 ml of blood) – Primary bag only” 2. “Additive solution (100 ml) - first satellite Bag”	1. CPD (49ml for 350ml blood bag and 63ml for 450ml blood bag i.e. 14 ml/100 ml of blood) – Primary bag only 2. Additive solution (78ml for 350ml and 100 ml for 450ml Blood Bag) - first satellite Bag.
Part B: TECHNICAL SPECIFICATION – GENERAL			
6.	Page No. 75 : Expiry Date : Sub clause 3.1:	All products must indicate the dates of manufacture and expiry. In addition, unless otherwise stated in Part A of these Specifications, all products must arrive at the final consignee point with a remaining shelf life of at least five-sixths (5/6ths) of the total stipulated shelf life at the time of manufacture.	<i>All products must indicate the dates of manufacture and expiry. In addition, unless otherwise stated in Part A of these Specifications, all products must arrive at the final consignee point with a remaining shelf life of at least three-fourth (3/4ths) of the total stipulated shelf life at the time of manufacture.”</i>

All other terms and conditions of the Bid Document shall remain unchanged.

ADDRESS FOR COMMUNICATION:

General Manager/MSM, RITES Ltd.,
RITES Office Complex, Annex Building,
4th Floor, Plot No. 144, Sector 44, Gurgaon -
122003 (Haryana)-India
Tel: 0124 2728 408/440/405,
Fax: 0124 2571659/ 2571660
E mail: rites_naco@rediffmail.com
rites_naco@rites.com