

Ministry of Health & Family Welfare
Department of AIDS Control
National AIDS Control Organization
Through
RITES LIMITED
(Procurement Agent)
Materials System Management Division
RITES Office Complex, Annex Building, 4th Floor,
Plot No.144, Sector 44,
GURGAON, INDIA

Dated: 10.10.2013

CLARIFICATION No. 1

National HIV/AIDS Control Project
National Competitive Bidding
IFB No. : RITES/MSM/NACP/11/2012, due for opening on 15.10.2013
for Procurement of Single Blood Bags (350ML), DOUBLE BLOOD BAGS 350ML & 450
ML, TRIPLE BLOOD BAGS 350ML & 450ML, QUADRUPLE BLOOD BAGS 350ML &
450ML.

Few bidders have made some query with respect to the subject IFB. The queries made and the clarifications provided are as under:

S. No.	Query	Clarification
Section IV. Technical Specifications		
1.	<p>Page No. 67 (f): <i>“There should be a temperature indicator on the carton to ensure cold chain maintenance.”</i></p> <p>All participants have requested to delete following clause:</p> <p>“To be stored at 20 to 25 degree centigrade. There should be a temperature indicator on the carton to ensure cold chain maintenance”.</p> <p>As many a times it has been found that the consignee do not have the adequate space to unload the lorry, and the lorry stands there for couple of days.</p>	<p>Not agreed with the request of participants.</p>
2.	<p>Page 68 – Label – Point No. 2: <i>“Heat sealed labels.”</i></p> <p>Participants have mentioned that It should be mentioned as Heat Sealed or Pressure sensitive labels. This amendment was done earlier also. (This is to be done on all type of Blood Bags)</p>	<p>This clause has been modified as “Heat sealed or pressure sensitive labels”.</p> <p>Please refer Amendment No. 4.</p>
Part B: TECHNICAL SPECIFICATION – GENERAL		
3.	<p>Page 75 – Point 5.1 labelling instructions: The label for each aluminum pack & each blood bags</p>	<p>“(c) Instructions for use” is not required on Blood Bags.</p>

S. No.	Query	Clarification
	shall include: (c) instructions for use Participants have requested that the Instructions for use (point no. c) cannot come on each blood bag.	Please refer Amendment No. 4.

ADDRESS FOR COMMUNICATION:

General Manager/MSM, RITES Ltd.,
 RITES Office Complex, Annex Building,
 4th Floor, Plot No. 144, Sector 44,
 Gurgaon - 122003 (Haryana)-India
 Tel: 0124 2728 408/440/405,
 Fax: 0124 2571659/ 2571660
 E mail: rites_naco@rediffmail.com,
 rites_naco@rites.com